

## **STUDY OF INDIVIDUAL TRANSMEMBRANE PROTEINS USING A COMBINED CONFOCAL/NEAR FIELD OPTICAL MICROSCOPE.**

**Baerbel I. de Bakker**, M.F. García-Parajó, W.H.J. Rensen, N.F. van Hulst, F. de Lange, A. Cambi, C.G. Figdor: Dept. of Applied Physics, University of Twente, P.O. Box 217, 7500 AE Enschede and University Hospital Nijmegen, The Netherlands.

Cells are complex structures in which a wide range of processes occur. By looking only at the cell membrane we already find a large number of proteins with different functions: receptor proteins that allow cell-to-cell communication, transport proteins to carry matter in-out of the cell, and marker proteins for cell identification. We focus particularly on the transmembrane receptor protein LFA-1. This protein plays an important role in the immune process regulating the adhesion strength of the cell via the formation of clusters. We study both individual LFA-1 molecules as well as their clustering. The LFA-1 molecule is fused to the Green Fluorescent Protein (S-65T mutant GFP) and expressed on L-cells. We have combined a confocal (CM) and a near field scanning optical microscope (NSOM) to visualise individual LFA-1 molecules at the cell membrane. We are also investigating the packing density of the clusters, the distance between individual components in a given cluster and cluster spacing distances. Our setup allows a spatial resolution of 35 nm combined with single molecule detection sensitivity. In this contribution we discuss instrumental issues regarding the CM/NSOM setup and show most recent results.